

CONSTRUCTION TO MEET BUSHFIRE ATTACK LEVEL 19 (BAL-19)
AS PER AS 3959 - 2009 CONSTRUCTION OF BUILDINGS IN
BUSHFIRE-PRONE AREAS

BULDING COMPONENTS TO MEET BAL-19 REQUIREMENTS INCLUDE (BUT NOT LIMITED TO):

ELEVATED FLOORS - NO REQUIREMENT

EXTERNAL WALLS

- EXPOSED COMPONENT OF EXTERNAL WALLS TO BE NON-COMBUSTIBLE CORRUGATED STEEL)

EXTERNAL GLAZED ELEMENTS

- GLAZED DOOR AND WINDOW FRAMES AND ASSEMBLIES SHALL BE METAL WITH 5mm TOUGHENED GLASS, WINDOWS AND DOORS SHALL BE SCREENED EXTERNALLY OR INTERNALLY WITH SCREENS THAT COMPLY WITH CLAUSE 6.5.1A

SHEET ROOFS

- ROOF SHALL BE FULLY SARKED AND GAPS GREATER THAN 3mm SHALL BE SEALED BY MINERAL WOOL (RIDGE, FASCIA, ETC.)

EAVES LINING/FASCIAS - EAVES VENTILATION OPENINGS GREATER THAN 3mm SHALL BE FITTED WITH ALUMINIUM MESH WITH MAX APERTURE OF 2mm

NOTE: WI, W2, WINDOW NO'S AS PER BASIX CERTIFICATION

BASIX COMMITMENTS AS PER BASIX CERTIFICATE, NAMELY (BUT NOT LIMITED TO):

FIXTURES

ALTERNATIVE WATER

HOT WATER HEAT/COOL SYSTEM

ARTIFICIAL LIGHTING OTHER

- SHOWERHEADS MIN. 4 STAR RATING
TOILET SYSTEM MIN. 3 STAR RATING
KITCHEN/BATH TAPS MIN. 3 STAR RATING;
- 2,000 LTR. RAINWATER TANK TO BE
CONNECTED TO OUTDOOR TAP, TOILET
KITCHEN & BATHROOM/LAUNDRY;
- (AS INDICATED ON SECTION);
- SOLAR (ELECTRIC BOOSTED);
- CEILING FANSI LIVING/BEDROOMS)
WOOD HEATER (LIVING ROOM);
- LIGHTING TO BE FLUORESCENT OR LED;
- REFERIGERATION SPACE MUST BE
WELL VENTIL ATED: AS DEFINED IN BASIX;

WELL VENTILATED' AS DEFINED IN BASIX;

- MUST INSTALL A FIXED CLOTHES LINE.

DO NOT SCALE FROM DRAWINGS

BUILDER TO SITE CHECK ALL MEASUREMENTS PRIOR TO CONSTRUCTION

PROJECT:

CLIENT: I. CAMPBELL

PROPOSED WEEKENDER CABIN

ADDRESS:

LOT 296, DP 705274, 643 CAMPBELLS CREEK RD., WINDEYER

DATE:

DRAWN BY:

MAY 21'

P.A. DUGGAN

DWG. NAME:

DWG. NO:

SITE PLAN

SCALE:

REVISION:

1:500

P. A. DUGGAN

ARCHITECT & HERITAGE CONSULTANT 0439 091 767 pa_duggan@yahoc.com

COPYRIGHT REMAINS THE PROPERTY OF P.A. DUGGAN ARCHITECT & HERITAGE CONSULTANT O439 O91 767 | pa_duggan@yahoo.com | ABN 51 541 201 301 | NSW Architects Registration No. 8608



